

R60 Cooper Countryman

Technical Data

Engine

Cylinders		4 in-line
Valves		16
Capacity	cc	1,598
Maximum power	kW/hp/rpm	90/122/6,000
Maximum torque	Nm/rpm	160/4,250

Exterior Dimensions

Length	mm	4,097
Width	mm	1,789
Height	mm	1,561
Wheelbase	mm	2,595
Front track	mm	1,534
Rear track	mm	1,559
Boot capacity	litres	350/450-1,170
Fuel tank capacity	litres	47
Turning circle	metres	11.6

Interior Dimensions

Shoulder room – front	mm	1,341
Shoulder room – rear	mm	1,323
Elbow room – front	mm	1,378
Elbow room – rear	mm	1,360
Head room – front	mm	1,013
Head room – rear	mm	953

Weights

Kerb weight	kg	1,265 (1,295)
Payload	kg	470
Roof load limit	kg	75

Performance

Drag co-efficient	Cd	0.35
Acceleration: 0-100 km/h	seconds	10.5 (11.6)
Maximum speed	km/h	190 (182)

Fuel Consumption (EU standard)

City	l/100km	8.3 (9.9)
Highway	l/100km	5.5 (6.3)
Combined	l/100km	6.5 (7.6)
CO2 Emission	g/km	152 (177)

R60 Cooper S Countryman

Technical Data

Engine

Cylinders		4 in-line
Valves		16
Capacity	cc	1,598
Maximum power	kW/hp/rpm	135/184/5,500
Maximum torque	Nm/rpm	240/1,600-5,000
	Overboost	260/1,700-4,500

Exterior Dimensions

Length	mm	4,110
Width	mm	1,789
Height	mm	1,561
Wheelbase	mm	2,595
Front track	mm	1,525
Rear track	mm	1,551
Boot capacity	litres	350/450-1,170
Fuel tank capacity	litres	47
Turning circle	metres	11.6

Interior Dimensions

Shoulder room – front	mm	1,341
Shoulder room – rear	mm	1,323
Elbow room – front	mm	1,378
Elbow room – rear	mm	1,360
Head room – front	mm	1,013
Head room – rear	mm	953

Weights

Kerb weight	kg	1,310 (1,335)
Payload	kg	470
Roof load limit	kg	75

Performance

Drag co-efficient	Cd	0.36
Acceleration: 0-100 km/h	seconds	7.6 (7.9)
Maximum speed	km/h	215 (210)

Fuel Consumption (EU standard)

City	l/100km	8.3 (10.1)
Highway	l/100km	5.6 (6.0)
Combined	l/100km	6.6 (7.5)
CO2 Emission	g/km	154 (175)

R60 Cooper S ALL4 Countryman

Technical Data

Engine

Cylinders		4 in-line
Valves		16
Capacity	cc	1,598
Maximum power	kW/hp/rpm	135/184/5,500
Maximum torque	Nm/rpm	240/1,600-5,000
	Overboost	260/1,700-4,500

Exterior Dimensions

Length	mm	4,110
Width	mm	1,789
Height	mm	1,561
Wheelbase	mm	2,595
Front track	mm	1,525
Rear track	mm	1,551
Boot capacity	litres	350/450-1,170
Fuel tank capacity	litres	47
Turning circle	metres	11.6

Interior Dimensions

Shoulder room – front	mm	1,341
Shoulder room – rear	mm	1,323
Elbow room – front	mm	1,378
Elbow room – rear	mm	1,360
Head room – front	mm	1,013
Head room – rear	mm	953

Weights

Kerb weight	kg	1,380 (1,405)
Payload	kg	460
Roof load limit	kg	75

Performance

Drag co-efficient	Cd	0.36
Acceleration: 0-100 km/h	seconds	7.9 (8.3)
Maximum speed	km/h	210 (205)

Fuel Consumption (EU standard)

City	l/100km	9.2 (10.9)
Highway	l/100km	6.2 (6.5)
Combined	l/100km	7.3 (8.1)
CO2 Emission	g/km	171 (189)

R60 Cooper D Countryman

Technical Data

Engine

Cylinders		4 in-line
Valves		16
Capacity	cc	1,598 (1,995)
Maximum power	kW/hp/rpm	82/112/4,000
Maximum torque	Nm/rpm	270/1,750-2,250

Exterior Dimensions

Length	mm	4,097
Width	mm	1,789
Height	mm	1,561
Wheelbase	mm	2,595
Front track	mm	1,534
Rear track	mm	1,559
Boot capacity	litres	350/450-1,170
Fuel tank capacity	litres	47
Turning circle	metres	11.6

Interior Dimensions

Shoulder room – front	mm	1,341
Shoulder room – rear	mm	1,323
Elbow room – front	mm	1,378
Elbow room – rear	mm	1,360
Head room – front	mm	1,013
Head room – rear	mm	953

Weights

Kerb weight	kg	1,310 (1,335)
Payload	kg	470
Roof load limit	kg	75

Performance

Drag co-efficient	Cd	0.35
Acceleration: 0-100 km/h	seconds	10.9 (11.3)
Maximum speed	km/h	185 (180)

Fuel Consumption (EU standard)

City	l/100km	4.7 (7.2)
Highway	l/100km	4.2 (4.7)
Combined	l/100km	4.4 (5.6)
CO2 Emission	g/km	115 (149)

Figures in brackets represent 6-speed automatic transmission

R60 Cooper D ALL4 Countryman

Technical Data

Engine

Cylinders		4 in-line
Valves		16
Capacity	cc	1,598 (1,995)
Maximum power	kW/hp/rpm	82/112/4,000
Maximum torque	Nm/rpm	270/1,750-2,250

Exterior Dimensions

Length	mm	4,097
Width	mm	1,789
Height	mm	1,561
Wheelbase	mm	2,595
Front track	mm	1,534
Rear track	mm	1,559
Boot capacity	litres	350/450-1,170
Fuel tank capacity	litres	47
Turning circle	metres	11.6

Interior Dimensions

Shoulder room – front	mm	1,341
Shoulder room – rear	mm	1,323
Elbow room – front	mm	1,378
Elbow room – rear	mm	1,360
Head room – front	mm	1,013
Head room – rear	mm	953

Weights

Kerb weight	kg	1,380 (1,405)
Payload	kg	470
Roof load limit	kg	75

Performance

Drag co-efficient	Cd	0.35
Acceleration: 0-100 km/h	seconds	11.6 (11.8)
Maximum speed	km/h	180 (175)

Fuel Consumption (EU standard)

City	l/100km	5.3 (7.6)
Highway	l/100km	4.7 (5.0)
Combined	l/100km	4.9 (6.0)
CO2 Emission	g/km	129 (158)

Figures in brackets represent 6-speed automatic transmission