
VOLKSWAGEN COMMERCIAL VEHICLES Specifications / February 2011



The Amarok



THE AMAROK Specifications / February 2011	Amarok	Amarok Trendline	Amarok Highline	Amarok
FEATURES AND OPTIONS				
S = Standard O = Optional Extra - Not Available Acc = Accessory				
Safety and Security				
Drivers and front passenger airbag Front side and thorax airbag Electronic Stability Program (ESP) with Brake Assist Off Road ABS/ASR and EDL Electronic engine immobilizer Remote central locking Front height adjustable 3 point seatbelts with pre-tensioners Alarm with back-up horn Seat belt warning (Drivers seat only)	S S S S S S	S S S S S	S S S S S S	
Exterior	-	_	_	
Metallic paint Pearl effect paint Stainless steel sports bar Stainless steel side steps Ultimate interior and exterior badges Front fog lights High level brake light and cargo area lighting Electrically adjustable door mirrors with heating function Front and rear mud flaps Heat insulating (Green) glass Privacy glass (rear) Engine and transmission protection – 4WD Models Engine and transmission protection – 2WD Models 180° opening tailgate Rear bumper with integrated step Body coloured bumpers and mirror housings Body coloured bumpers with chrome details and mirror covers Tiedown points in cargo area (4) 16" x 6.5J Steel Wheels with 205 R16C 110/108T 16" x 6.5J Alloy wheels 'Taruma' with 245/70 R16 111T tyres 17" x 8.0J Alloy wheels 'Aldo' with 255/60 R18 112T tyres 18" x 7.5J Alloy wheels 'Durban' with 255/50 R18 111T tyres 19" x 8.0J Alloy wheels 'Alastaro' with 255/55 R19 111T tyres Extended wheel arches (with 17", 18" or 19" Alloy Wheels) Ladder Frame Chassis in high strength steel	O O Acc Acc S S S S - S O O O S S	O O Acc Acc - S S S S - S S - S S - S S - S S S S	O O Acc Acc - S S S S S S S S S S S S S S S S S S	
Interior RCD310 Radio CD Player with MP3 Double Din with 2 Speakers RCD310 Radio CD Player with MP3 Double Din with 4 Speakers RCD510 Radio CD Player with MP3 Double Din with 6 Speakers Climatic air-conditioning Climatronic air-conditioning dual-zone Interior trim — "Spacer" Interior trim — "Trail" Interior trim — "Endless" Anthracite cloth Interior trim — "Endless" Mendoza cloth Interior trim — "Endless" Anthracite Leather Interior trim — Vienna Mendoza Leather Interior light (door operated) Interior light in rear	S S	- S - S S S S S S	- - - - - - - - - - - - - - - - - - -	

THE AMAROK Specifications / February 2011	Amarok	Amarok Trendline	Amarok Highline	Amarok Ultimate
FEATURES AND OPTIONS				
S = Standard O = Optional Extra - Not Available				
Interior (Continued)				
Map lights Rubber floor covering in cab Carpet floor covering in cab Drawers under front seats 3 Child restraint location points Centre console with cover Leather gearshift knob and handbrake lever Folding rear bench seat – backrest forwards and seat base upward with fastening strap Headrests for rear beach seats (3) Locking glove compartment 3 Spoke steering wheel Leather steering wheel Multifunction display 1 x 12V socket – centre armrest 3 x 12V sockets – dashboard, centre console and in cargo area Driver and front passenger seat with height adjustment Cloth seats Leather trim Interior grab handles Roof line/A-pillar/B-pillar	- S - S S - O S - S S - 4/1	S - S S S S - S S S S S S S S S S S S S	S - S S S S S S S S S S S S S S S S S S	S - S S S S S S S S S S S S S S S S S S
Convenience				
Electric windows with roll-back function Driver and passenger with one-touch up/down Cruise control with multifunction display	S S O	S S S	S S S	S S S
Instrumentation				
Speedometer and tachometer, electronic odometer and trip meter, digital clock, fuel & coolant indicators, low fuel warning light and fuel gauge. Plus multifunction display showing digital speed reading, range to empty, instant litres/100km and average litres/100km plus outside temperature.	S O	S S	S S	S S
Mechanical				
Electric differential lock – rear axle (4WD models) Electric differential lock – rear axle (2WD models) 2WD Transmission 4MOTION Selectable Transmission 4MOTION Permanent Transmission	O O S O	S - - S -	S - - S -	\$ - - \$ O

Disclaimer:

The information and the specifications contained within this document were correct at the time of issue. Due to our continuous process of improvement our products are continually updated and changes may be made to the specifications from time to time. Not all vehicles or options may be available. Check at time of ordering.


Engine	TDI400			
Туре	Inline 4 Cylinder, DOHC, 16 Valve			
Capacity, litres/cc	2.0 / 1,968			
Bore x Stroke / Compression ratio	81.0mm x 95.5mm / 16.5:1			
Maximum power, kW @ rpm Maximum torque, Nm @ rpm	120 @ 4,000 400 @ 1,500-2,500			
Fuel system	Common Rail Direct Injection			
Induction type	Twin-turbochargers			
Intercooled		Ye	es	
Emissions standard		Euro 5 with Diesel Po	articulate Filter (DPF)	
Fuel type		Die	esel	
Fuel tank capacity		80 L	itres	
Battery	450 Amp 95Ah			
Transmission			<u> </u>	
Transmission	6 Speed Manual			
Driven wheels	Rear wheel drive / Selectable 4MOTION / Permanent 4MOTION			4MOTION
Wheels and Tyres	Amarok	Amarok Trendline	Amarok Highline	Amarok Ultimate
Wheels	Steel 6.5J x16	Alloy "Taruma" 6.5J x 16	Alloy "Durban" 7.5J x 18	Alloy "Alastaro 8.0J x 19
Tyres	205 R16 C 110/108T	245 / 70 R16 111T	255 / 60 R18 112T	255 / 55 R19 111T
Fuel Consumption - ADR81/02		Comb / Urban /	Ex Urban • CO ₂	
2WD, Litre/100km • CO ₂		7.7 / 9.5 / 6.8	3 • 203g/km	
4MOTION Selectable, Litre/100km • CO ₂		7.9 / 9.7 / 7.C	• 209g/km	
4MOTION Permanent Litre/100km • CO ₂	7.9 / 9.7 / 7.0 • 209g/km			
Suspension and Steering				
Front axle	Transverse link with A-frame arm double wishbone and anti-roll bar			
Rear axle	Multi-layer rigid axle with leaf spring and stabiliser bar			
Steering		Rack and pinior	power steering	
Turning Circle		12.9	5 m	

Brakes	TDI400			
Front brakes	303mm Disc brakes			
Rear brakes	295mm Drum brake			
Brake systems	ESP, OFFROAD ABS, ASR^, EDL and Hill Holder			
Weights				
GVM, kg	3,040 (optional 2,820)			
Towing capacity, braked / unbraked	2,800kg / 750kg			
Towing downball load	280kg			
	Amarok	Amarok Trendline	Amarok Highline	Amarok Ultimate
GVM 3,040	Standard (Heavy Duty)			
GVM 2,820	Optional (Comfort Suspension)*			
Tare weight (includes driver)	2,000	2,042	2,069	2,110
Roof load	100 kg			
Dimensions				
Length, mm	5,181 (Amarok) 5,254 (Trendline, Highline and Ultimate)			
Width, mm	1,944 (2,228 including mirrors)			
Height std	1,834			
Wheelbase, mm	3,095			
Ground clearance mm	230 (192 with 4MOTION underbody protection) Amarok Amarok Trendline & Hig		n)	
			Amarok Trend	line & Highline
Entry angle	28°		28°	
Departure angle	28°		23.6°	
Ramp angle	23°(21.4° with 4MOTION)		23°(21.4 with 4MOTION)	


[^] Not included with Permanent 4MOTION * Permanent 4MOTION only available with 2,820 GVM

Cargo Area	TDI400
Rear tailgate width, mm	1,411
Rear tailgate height, mm	508
Load volume, m ²	2.52
ength mm	1,555
Width at widest point mm	1,620
Width at wheel arch mm	1,222
Height from ground mm	780
Warranty	
√ehicle	3 Years, Unlimited km
Paint / Corrosion	3 Years / 6 Years
Road side assistance	3 Years, Unlimited km

TECHNICAL SPECIFICATIONS



Amarok Dual Cab



Amarok Dual Cab Trendline, Highline and Ultimate (Sports bar and side steps not shown for Ultimate)

TECHNICAL SPECIFICATIONS







Amarok Trendline



Amarok Highline



Amarok Ultimate



16" Taruma

17" Aldo

18" Durban

19" Alastaro

TECHNICAL SPECIFICATIONS



Candy White

Ontario Green

Sand Beige

Reflex Silver









Natural Grey

Starlight Blue

Mendoza Brown


Deep Black



Spacer Cloth



Trail Cloth



Endless Cloth Anthracite



Endless Cloth Mendoza



Vienna Anthracite Leather



Vienna Mendoza Leather